



HEADQUATER:

HANGZHOU JENTAN MACHINERY CO.,LTD.

Add: #21 Maya building No.1 century avenue, Linping, Yuhang district, Hangzhou China

| Tel:+86 571 86186865| Fax:+86 571 86186028| E-mail: sales@jentanhoist.com|

Website: www.jentanhoist.com

FACTORY:

JT (JIANGSU) TECHNOLOGY CO.,LTD.

Add: No.8 Development Avenue Huai'an Industrial Park , Huai'an City, Jiangsu Province, China

Tel: +86-571-86186865 Fax: +86-571-86186028 E-mail: sales@jentanhoist.com



JENTAN HOIST

SINCE 1988

OPENNESS, INNOVATION,
GROWTH, RESPONSIBILITY





Corporate Profile

Jentan Group specializes in R&D, production and marketing of products, covering high-quality manual hoists, electric hoists, webbing sling and other lifting equipments with features of various styles, complete specifications and large scale. Our products are widely applied in household, outdoor travelling, aerospace, military, manufacturing industry, repairing industry and construction industry.

Jentan differs from other traditional manufacturers and trading company. On the one hand, we have professional R&D team, which can research cost-effective and hot-selling products, catering to various customer demands in different markets. On the other hand, with hundreds of products, 20 certificates, advanced design of product and package, and high-efficiency logistics system, we have one-stop service to satisfy our clients around the world. Our branch company and factory can work together to transport the products to all over the world by logistics system.

As the developments of globalization and internationalization strategy, Jentan, with customer-centric faith and more active attitude, devotes to becoming not only an international leading and competitive manufacturer and supplier in the field of lifting equipments through tireless efforts, but also a company loved by employees, trusted by stockholders, well-pleased by customers and respected by society.



Openness, Innovation, Growth, Responsibility



LET'T DO BETTER

COMPANY BACKGROUND

DEVELOPMENT HISTORY

In 1988, Mr. Zhang was still 17 years old, established a hoist repair factory in Baoding, Hebei Province. It's the first step for Jentan to enter the worldwide hoist industry.



Let's do better!






HOIST ITEMS




JTHH WIND POWER
ELECTRIC CHAIN HOIST




Jentan Code	WLL (t)	Lifting Speed (m/min)	Hook Distance (mm)	Power (kw)	Duty Circle (%)	Chain Size (dpx)	N.W. (kg)	Extra Weight Per Lift (kg)	Dimensions(mm)											
									A	B	C	D	E	F	G	H	L	K	M	N
JTHH2J1-0.25AF	0.25	5.3/15	439	0.3/0.9	30	5×15	33	0.56	439	428	229	165	124	235	92	168	35	41	23	27
JTHH2J1-0.32AF	0.35	8/24	439	0.53/1.6	30	5×15	40	0.56	439	483	229	165	124	235	92	168	35	41	23	27
JTHH2J1-0.35AF	0.35	8/24	439	0.53/1.6	30	5×15	40	0.56	439	483	229	165	124	235	92	168	35	41	23	27
JTHH2G1-0.5AF	0.5	3.3/10	439	0.53/1.6	40	6.3×19	38	0.86	450	458	229	165	124	235	92	168	40	45	27	30
JTHH2G1-0.6AF	0.6	3.3/10	455	0.53/1.6	30	6.3×19	38	0.86	450	458	229	165	124	235	92	168	40	45	27	30
JTHH2G1-0.75BF	0.75	3.3/10	545	0.53/1.6	30	7×21	59	1.09	540	493	294	193	171	247	114	197	45	49	31	36
JTHH2G1-0.8BF	0.8	3.3/10	545	0.53/1.6	30	7×21	59	1.09	540	493	294	193	171	247	114	197	45	49	31	36

JTHH 3 PHASE ELECTRIC CHAIN HOIST

Single Fall




Double Falls




	Jentan Code	W.L.L (t)	Chain Falls	Lifting Speed (m/min)	Power (kw)	Duty Circle (%)	Chain Size (mm)	N.W. (kg)	Extra Weight Per Lift (kg)	Dimensions(mm)													
										A	B	C	D	E	F	G	H	L	K	M	N		
Single Speed	JTHH1J1-0.125A	0.125	1	16	0.4	40	5×15	30	0.56	439	428	229	165	124	235	92	168	35	41	23	27		
	JTHH1F1-0.25A	0.25	1	8	0.4		5×15	30	0.56	439	428	229	165	124	235	92	168	35	41	23	27		
	JTHH1F1-0.5A	0.5	1	8	0.9		6.3×19	35	0.88	455	458	229	165	124	235	92	168	40	45	27	30		
	JTHH1C2-0.5A	0.5	2	4	0.4		5×15	35	1.3	515	428	229	165	103	235	92	168	40	45	27	30		
	JTHH1E1-1B	1	1	6.3	1.6		8×24	56	1.42	545	493	294	193	171	247	114	197	45	49	31	36		
	JTHH1C2-1A	1	2	4	0.9		6.3×19	42	1.9	540	458	229	165	103	235	92	177	45	49	31	36		
	JTHH1B2-2B	2	2	3.2	1.6		8×24	67	3	665	493	294	193	140	247	122	226	55	64	39	42		
Dual Speed	JTHH2J1-0.125A	0.125	1	5.3/16	0.13/0.4	20/40	5×15	33	0.56	439	428	229	165	124	235	92	168	35	41	23	27		
	JTHH2F1-0.25A	0.25	1	2.7/8	0.13/0.4		5×15	33	0.56	439	428	229	165	124	235	92	168	35	41	23	27		
	JTHH2F1-0.5A	0.5	1	2.7/8	0.3/0.9		6.3×19	38	0.88	455	458	229	165	124	235	92	168	40	45	27	30		
	JTHH2C2-0.5A	0.5	2	1.3/4	0.13/0.4		5×15	38	1.3	515	428	229	165	103	235	92	168	40	45	27	30		
	JTHH2E1-1B	1	1	2.1/6.3	0.53/1.6		8×24	59	1.42	545	493	294	193	171	247	114	197	45	49	31	36		
	JTHH2C2-1A	1	2	1.3/4	0.3/0.9		6.3×19	45	1.9	540	458	229	165	103	235	92	177	45	49	31	36		
	JTHH2B2-2B	2	2	1.1/3.2	0.53/1.6		8×24	70	3	665	493	294	193	140	247	122	226	55	64	39	42		

JTHH SINGLE PHASE ELECTRIC CHAIN HOIST



(300lbs - 800lbs)



(1000lbs - 4000lbs)



Jentan Code	W.L.L (lbs)	Lift (m/ft.)	Chain Falls	Lifting Speed (m/min)	Power (HP)	Chain Size (mm)	N.W. (kg)	Extra Weight Per Lift (kg)	Dimensions(mm)											
									A	B	C	D	E	F	G	H	L	K	M	N
JTHH1D1-300CX-1	300	3(10)	1	4.3 (14fpm)	1/6	5×15	11.5	0.56	368	357	150	108	71	200	75	139	35		23	26
JTHH1D1-300CX-2		4.5(15)					12.5													
JTHH1D1-300CX-3		6(20)					13													
JTHH1A2-500CX-1	500	3(10)	2	2.1 (7fpm)	1/6	5×15	14	1.12	407	357	150	108	71	200	75	139	35		23	26
JTHH1A2-500CX-2		4.5(15)					15.8													
JTHH1A2-500CX-3		6(20)					17.8													
JTHH1A2-800CX-1	800	3(10)	2	2.1 (7fpm)	1/5	5×15	14.5	1.12	425	357	150	108	71	200	75	145	37		25	28
JTHH1A2-800CX-2		4.5(15)					16.3													
JTHH1A2-800CX-3		6(20)					18.1													
JTHH1D1-1000AX-1	1000	3(10)	1	5 (16fpm)	2/3	6.3×19	40	0.88	455	472	229	165	124	235	92	168	40	45	27	30
JTHH1D1-1000AX-2		4.5(15)					41.5													
JTHH1D1-1000AX-3		6(20)					43													
JTHH1D1-2000BX-1	2000	3(10)	1	5 (16fpm)	143	8×24	58	1.42	545	493	294	193	171	247	114	197	45	49	31	36
JTHH1D1-2000BX-2		4.5(15)					60													
JTHH1D1-2000BX-3		6(20)					62													
JTHH1A2-2000AX-1	2000	3(10)	2	2.5 (8fpm)	115	6.3×19	42	1.9	540	458	229	165	103	235	92	177	45	49	31	36
JTHH1A2-2000AX-2		4.5(15)					45													
JTHH1A2-2000AX-3		6(20)					48													
JTHH1A2-A000BX-1	4000	3(10)	2	2.5 (8fpm)	215	8×24	70	3	665	493	294	193	140	247	122	226	55	64	39	42
JTHH1A2-A000BX-2		4.5(15)					74.5													
JTHH1A2-A000BX-3		6(20)					79													